INDEX TO AUTHORS

A

Anchel, Marjorie, and Waelsch, Heinrich. The higher fatty aldehydes. II. Behavior of the aldehydes and their derivatives in the fuchsin test, 501

Anderson, R. J. See *Velick and Anderson*, 523

Anfinsen, Christian B. The distribution of cholinesterase in the bovine retina, 267

—. The distribution of diphosphopyridine nucleotide in the bovine retina, 279

—. A micro manometric method for the determination of diphosphopyridine nucleotide, 285

Annegers, J. H. See *Drill, Annegers, and Ivy*, 339

Ashby, Winifred. A parallelism between the quantitative incidence of carbonic anhydrase and functional levels of the central nervous system, 235

B

Bailey, William H., 3rd, and Roe, Joseph H. Studies of the metabolism of mannose. The influence of mannose administration on blood sugar, blood lactic acid, and liver glycogen in the adult rabbit, 135

Ball, Eric G. A blue chromoprotein found in the eggs of the goose-barnacle, 627

Barker, S. B. The direct colorimetric determination of urea in blood and urine, 453

Beaver, J. J., and Kaunitz, Hans. The interference of sesame oil, fish oil, and cholesterol with the polarographic determination of α-tocopherol, 363

Berg, Robert L., Stotz, Elmer, and Westerfeld, W. W. Alcohol metabolism in thiamine deficiency, 51

Berg, Robert L., and Westerfeld, W. W. The mechanism of ketol formation from pyruvate and aldehydes, 113

—. See *Stotz, Westerfeld, and Berg*, 41

Bernheim, Frederick. See *Bernheim and Bernheim*, 481

Bernheim, Mary L. C., and Bernheim, Frederick. The production of a hydroxyphenyl compound from *l*-phenylalanine incubated with liver slices, 481

Bollman, Jesse L. See *Flock and Bollman*, 371

Boyer, Paul D., Phillips, Paul H., and Smith, J. Knox. The separation of carotene from vitamin A for the determination of vitamin A in blood plasma, 445

Brackett, F. S. See *Horecker and Brackett*, 669

Briggs, G. M., Jr. See *Luckey, Briggs, and Elvehjem*, 157

Brown, Raymond A. See *Campbell, Brown, and Emmett*, 483

C

Cahen, Raymond L., and Salter, William T. Urinary 17-ketosteroids in metabolism. I. Standardized chemical estimation, 489

Campbell, C. J., Brown, Raymond A., and Emmett, A. D. Influence of crystalline vitamin B_6 on hematopoiesis in the chick, 483

Cannan, R. Keith. The estimation of the dicarboxylic amino acids in protein hydrolysates, 401

Chaikoff, I. L. See *Franklin and Chaikoff*, 295

—. See *Reinhardt, Fishler, and Chaikoff*, 79

Chan, Dorothea V. See *Ashby*, 235

Charipper, Harry A. See *Keston, Goldsmith, Gordon, and Charipper*, 241

Chesley, Leon C. A method for the determination of thiourea, 571
Claff, C. Lloyd, and **Swenson, Orvar.** Micro glass electrode technique for determination of hydrogen ion activity of blood and other biological fluids, 519
Conant, Robert F. See *Samuels and Conant,* 173
Craig, Lyman C., and **Jacobs, Walter A.** The aconite alkaloids. XIII. The isolation of pimanthrene from the dehydrogenation products of staphisine, 645
—and—. XIV. Oxidation of the hydrocarbon from the dehydrogenation of atisine, 651
—. See *Jacobs and Craig,* 641
Crismon, J. M. See *Fuhrman and Crismon,* 213

D

Danowski, Thaddeus S. Measurement of thiourea in ultrafiltrate of serum, 201
—. Use of thiourea as a measure of change in body water, 207
Day, Harry G. See *Hidy and Day,* 477
Day, Paul L. See *Totter, Shukers, Kolson, Mims, and Day,* 147
Deuel, Harry J., Jr. See *Vaniman and Deuel,* 565
Deutsch, H. F. The stimulatory effect of thiamine and certain of its derivatives on the assay of vitamin B_1 by yeast fermentation, 431
Dittebrandt, Marlowe, Tenney, Mary, and **West, Edward S.** Reducing substances in urine. Improved precipitating agents, 395
Drill, Victor A., Annegers, J. H., and **Ivy, A. C.** Effect of cyanide, fluoride, and magnesium on serum phosphatase activity during hepatic damage, 339

E

Elliott, K. A. C., and **Libet, B.** Oxidation of phospholipid catalyzed by iron compounds with ascorbic acid, 617
—. See *Libet and Elliott,* 613
Elvehjem, C. A. See *Luckey, Briggs, and Elvehjem,* 157
Emmett, A. D. See *Campbell, Brown, and Emmett,* 483
Epstein, Jeanne A. See *Lee, Foley, Epstein, and Wallace,* 485

F

Fishler, M. C. See *Reinhardt, Fishler, and Chaikoff,* 79
Fishman, Lillian W. See *Fishman and Fishman,* 487
Fishman, William H., and **Fishman, Lillian W.** The elevation of uterine β-glucuronidase activity by estrogenic hormones, 487
Flock, Eunice V., and **Bollman, Jesse L.** Adenosine triphosphate in muscles of rats studied with radioactive phosphorus, 371
Foley, E. J. See *Lee, Foley, Epstein, and Wallace,* 485
Fraenkel-Conrat, Heinz. Effect of acylating agents on the sulfhydryl groups of crystalline egg albumin, 385
Franklin, A. L., and **Chaikoff, I. L.** The effect of sulfonamides on the conversion *in vitro* of inorganic iodide to thyroxine and diiodotyrosine by thyroid tissue with radioactive iodine as indicator, 295
Fuhrman, Frederick A., and **Crismon, J. M.** Critical factors in the recovery oxygen consumption of rat liver slices following anoxia *in vitro,* 213

G

Gallagher, T. F. See *Munson, Gallagher, and Koch,* 67
Gangstad, Edward O. See *Sullivan, Gangstad, and Link,* 367
Goldman, Melvin L. See *Urban and Goldman,* 329
Goldsmith, E. D. See *Keston, Goldsmith, Gordon, and Charipper,* 241
Gordon, Albert S. See *Keston, Goldsmith, Gordon, and Charipper,* 241
Green, D. E. See *Ratner, Nocito, and Green,* 119

H

Haas, Erwin. Separation of cytochrome oxidase into two components, 695

Hardenbergh, Esther. See *Muus and Hardenbergh*, 1

Harris, Philip L., Kaley, Marian Woodside, and **Hickman, K. C. D.** Covitamin studies. II. The sparing action of natural tocopherol concentrates on carotene, 313

—. See *Hickman, Kaley, and Harris*, 303, 321

Hawkins, Winthrop W. See *Young, MacPherson, Wentworth, and Hawkins*, 245

Hegsted, D. Mark. The amino acid requirements of *Lactobacillus arabinosus* 17-5, 193

Hickman, K. C. D., Kaley, Marian Woodside, and **Harris, Philip L.** Covitamin studies. I. The sparing action of natural tocopherol concentrates on vitamin A, 303

—, —, and —. III. The sparing equivalence of the tocopherols and mode of action, 321

—. See *Harris, Kaley, and Hickman*, 313

Hidy, Phil Harter, and **Day, Harry G.** Effect of acid hydrolysis on the activity of polysaccharides in the enzymatic synthesis of starch, 477

Hoehn, Willard M., Schmidt, L. H., and **Hughes, Hettie B.** Studies on bile acid metabolism. IV. Separation and identification of ketocholanic acids formed during oxidation of cholic acid by *Alcaligenes faecalis*, 59

Holden, Raymond F., Jr. Notes on the manometric hypobromite estimation of urea, 233

Hoogerheide, J. C. See *Menzel, Wintersteiner, and Hoogerheide*, 419

Horecker, B. L., and **Brackett, F. S.** A rapid spectrophotometric method for the determination of methemoglobin and carbonylhemoglobin in blood, 669

Hughes, Hettie B. See *Hoehn, Schmidt, and Hughes*, 59

I

Ivy, A. C. See *Drill, Annegers, and Ivy*, 339

J

Jacobs, Walter A., and **Craig, Lyman C.** The veratrine alkaloids. XXI. The conversion of rubijervine to allorubijervine. The sterol ring system of rubijervine, 641

—. See *Craig and Jacobs*, 645, 651

Jelinek, Viola C. See *Scudi and Jelinek*, 27, 39

K

Kaley, Marian Woodside. See *Harris, Kaley, and Hickman*, 313

—. See *Hickman, Kaley, and Harris*, 303, 321

Kann, Susan. See *Sobotka, Kann, and Winternitz*, 635

Karn, H. W. See *Patton, Karn, and Longenecker*, 181

Kaunitz, Hans. See *Beaver and Kaunitz*, 363

Keston, Albert S., Goldsmith, E. D., Gordon, Albert S., and **Charipper, Harry A.** The effect of thiourea upon the metabolism of iodine by rat thyroid, 241

Ketron, Katherine C. See *Najjar and Ketron*, 579

Kibrick, Andre C. The estimation of the dicarboxylic amino acids by titration, 411

Kilmer, Glen W., and **McKennis, Herbert, Jr.** Synthesis of a second isomeric form of 3,4-diaminotetrahydrothiophene, 103

Koch, F. C. See *Munson, Gallagher, and Koch*, 67

Kohler, George O. The effect of stage of growth on the chemistry of the grasses, 215

Kolson, Jack. See *Totter, Shukers, Kolson, Mims, and Day*, 147

Kramer, Benjamin. See *Sobel, Rockenmacher, and Kramer*, 255

Krampitz, L. O., and **Woolley, D. W.** The manner of inactivation of thiamine by fish tissue, 9

L

Lee, S. W., Foley, E. J., Epstein, Jeanne A., and **Wallace, J. H., Jr.** Improvements in the turbidimetric assay for penicillin, 485

LePage, G. A. Interfering substances in the determination of phosphoglycerol, 593

Libet, B., and **Elliott, K. A. C.** An iron-protein complex obtained from liver, 613

—. See *Elliott and Libet,* 617

Lifson, Nathan. Note on the total osmotic activity of human plasma or serum, 659

Link, Karl Paul. See *Sullivan, Gangstad, and Link,* 367

Longenecker, Herbert E. See *Patton, Karn, and Longenecker,* 181

Lowry, Oliver H. A simple quartz torsion balance, 293

Luckey, T. D., Briggs, G. M., Jr., and **Elvehjem, C. A.** The use of *Streptococcus lactis* R for the measurement of "folic acid," 157

M

MacLachlan, P. L. Determination of the iodine number of whole phospholipid, 97

—. Effect of fasting on the blood lipids of mice, 391

MacPherson, Catherine Conway. See *Young, MacPherson, Wentworth, and Hawkins,* 245

Mason, Harold L., and **Nesbitt, Samuel.** A method for the determination of coproporphyrin in urine, 19

McKennis, Herbert, Jr. See *Kilmer and McKennis,* 103

McMahan, J. Raymond, and **Snell, Esmond E.** The microbiological determination of amino acids. I. Valine and arginine, 83

Menzel, Arthur E. O., Wintersteiner, O., and **Hoogerheide, J. C.** The isolation of gliotoxin and fumigacin from culture filtrates of *Aspergillus fumigatus,* 419

Miller, Leon L. The metabolism of *dl*-methionine and *l*-cystine in dogs on a very low protein diet, 603

Mims, Virginia. See *Totter, Shukers, Kolson, Mims, and Day,* 147

Munson, Paul L., Gallagher, T. F., and **Koch, F. C.** Isolation of dehydroisoandrosterone sulfate from normal male urine, 67

Muus, Jytte, and **Hardenbergh, Esther.** The oxygen consumption of normal rat liver slices in serum and in lymph taken from the legs before and after severe burns, 1

N

Najjar, Victor A., and **Ketron, Katherine C.** An improved thiochrome method for the determination of thiamine in urine, 579

Nesbitt, Samuel. See *Mason and Nesbitt,* 19

Nocito, V. See *Ratner, Nocito, and Green,* 119

O

Oesterling, M. Jane. See *Roe and Oesterling,* 511

P

Patton, R. A., Karn, H. W., and **Longenecker, Herbert E.** Studies on the nutritional basis of abnormal behavior in albino rats. IV. Convulsive seizures associated with pyridoxine deficiency, 181

Phillips, Paul H. See *Boyer, Phillips, and Smith,* 445

R

Ratner, S. Conversion of *d*-glutamic acid to pyrrolidonecarboxylic acid by the rat, 559

—, **Nocito, V.,** and **Green, D. E.** Glycine oxidase, 119

Rebstock, Mildred C. See *Vestling and Rebstock*, 585

Reinhardt, W. O., Fishler, M. C., and **Chaikoff, I. L.** The circulation of plasma phospholipids: their transport to thoracic duct lymph, 79

Ribeiro, Fonseca. Influence of sulfanilamide on the germination of seeds, 665

Rockenmacher, Morris. See *Sobel, Rockenmacher, and Kramer*, 255

Roe, Joseph H., and **Oesterling, M. Jane.** The determination of dehydroascorbic acid and ascorbic acid in plant tissues by the 2,4-dinitrophenylhydrazine method, 511

—. See *Bailey and Roe*, 135

Rothen, Alexandre. Ferritin and apoferritin in the ultracentrifuge. Studies on the relationship of ferritin and apoferritin; precision measurements of the rates of sedimentation of apoferritin, 679

S

Salter, William T. See *Cahen and Salter*, 489

Samuels, Leo T., and **Conant, Robert F.** The adrenals and the mobilization of stored fat formed from diets containing different fats, 173

Schmidt, L. H. See *Hoehn, Schmidt, and Hughes*, 59

Scudi, John V., and **Jelinek, Viola C.** An addition to the Marshall method for the determination of the sulfonamides in blood, 39

— and —. Urinary excretion products of atabrine, 27

Sendroy, Julius, Jr. Determination of serum calcium by precipitation with oxalate. A comparative study of factors affecting the results of several procedures, 539

—. Note on the gasometric determination of oxalic acid and calcium, 557

Shock, Nathan W. The effect of pH of the filtrate on the recovery of inulin and diodrast from blood plasma, 169

Shukers, Carroll F. See *Totter, Shukers, Kolson, Mims, and Day*, 147

Sisler, Eleanor. See *Sumner, Somers, and Sisler*, 479

Smith, J. Knox. See *Boyer, Phillips, and Smith*, 445

Snell, Esmond E. The effect of polyamines on bacteriostasis by 4,4′-diamidinodiphenoxypropane, 475

—. See *McMahan and Snell*, 83

Sobel, Albert E., Rockenmacher, Morris, and **Kramer, Benjamin.** Microestimation of the inorganic constituents of bone, 255

Sobotka, Harry, Kann, Susan, and **Winternitz, Wilhelmine.** Fluorophotometric analysis of vitamin A esters, 635

Somers, G. Fred. See *Sumner, Somers, and Sisler*, 479

Stern, Kurt G. Electrophoretic analysis of yeast extracts, 345

Stotz, Elmer, Westerfeld, W. W., and **Berg, Robert L.** The metabolism of acetaldehyde with acetoin formation, 41

—. See *Berg, Stotz, and Westerfeld*, 51

Sullivan, William R., Gangstad, Edward O., and **Link, Karl Paul.** Note on plasma fibrinogen in guinea pig scurvy, 367

Sumner, James B., Somers, G. Fred, and **Sisler, Eleanor.** The influence of dextrin upon the synthetic action of plant phosphorylase, 479

Swenson, Orvar. See *Claff and Swenson*, 519

T

Tenney, Mary. See *Dittebrandt, Tenney, and West*, 395

Totter, John R., Shukers, Carroll F., Kolson, Jack, Mims, Virginia, and **Day, Paul L.** Studies on the relation between vitamin M, xanthopterin, and folic acid, 147

U

Urban, Frank, and **Goldman, Melvin L.** A method for the determination of thiamine in the urine, 329

V

Vaniman, Carroll E., and **Deuel, Harry J., Jr.** Studies on ketosis. XXII. The metabolism of cellobiose, 565

Velick, Sidney F. The chemistry of *Phytomonas tumefaciens*. III. Phytomonic acid, a new branched chain fatty acid, 533

— and **Anderson, R. J.** The chemistry of *Phytomonas tumefaciens*. II. The composition of the acetone-soluble fat, 523

Vestling, Carl S., and **Rebstock, Mildred C.** 3-Acetyl-5,6-isopropylidene ascorbic acid, 585

W

Waelsch, Heinrich. See *Anchel and Waelsch*, 501

Wallace, J. H., Jr. See *Lee, Foley, Epstein, and Wallace*, 485

Wentworth, Helen P. See *Young, MacPherson, Wentworth, and Hawkins*, 245

West, Edward S. See *Dittebrandt, Tenney, and West*, 395

Westerfeld, W. W. See *Berg, Stotz, and Westerfeld*, 51

Westerfeld, W. W. See *Berg and Westerfeld*, 113

—. See *Stotz, Westerfeld, and Berg*, 41

Winnick, Theodore. General characteristics of the partial hydrolysis products from the action of proteolytic enzymes on casein, 465

Winternitz, Wilhelmine. See *Sobotka, Kann, and Winternitz*, 635

Wintersteiner, O. See *Menzel, Wintersteiner, and Hoogerheide*, 419

Woolley, D. W. Some biological effects produced by benzimidazole and their reversal by purines, 225

—. See *Krampitz and Woolley*, 9

Y

Young, E. Gordon, MacPherson, Catherine Conway, Wentworth, Helen P., and **Hawkins, Winthrop W.** The estimation of allantoin in blood, 245

Young, Leslie. See *Zbarsky and Young*, 599

Z

Zbarsky, S. H., and **Young, Leslie.** Mercapturic acids. IV. The synthesis of *p*-fluorophenyl-*l*-cysteine and its conversion to *p*-fluorophenylmercapturic acid *in vitro* and *in vivo*, 599

INDEX TO SUBJECTS

A

Acetaldehyde: Metabolism, acetoin formation, *Stotz, Westerfeld, and Berg,* 41

Acetoin: Acetaldehyde metabolism, relation, *Stotz, Westerfeld, and Berg,* 41

Acetyl-5,6-isopropylidene ascorbic acid: 3-, *Vestling and Rebstock,* 585

Aconite: Alkaloids, *Craig and Jacobs,* 645, 651

Adenosine triphosphate: Muscle, radioactive phosphorus in study, *Flock and Bollman,* 371

Adrenalectomy: Fat mobilization, effect, *Samuels and Conant,* 173

Alanine: *l*-Phenyl-, hydroxyphenyl compound from, liver effect, *Bernheim and Bernheim,* 481

Albumin: Egg. *See* Egg albumin

Alcaligenes faecalis: Cholic acid oxidation by, ketocholanic acids, separation and identification, *Hoehn, Schmidt, and Hughes,* 59

Alcohol(s): Metabolism, thiamine deficiency, *Berg, Stotz, and Westerfeld,* 51

Aldehyde(s): Fatty, higher, *Anchel and Waelsch,* 501

—, —, and derivatives, fuchsin test, effect, *Anchel and Waelsch,* 501

Ketol formation, relation, *Berg and Westerfeld,* 113

Alkaloid(s): Aconite, *Craig and Jacobs,* 645, 651

Veratrine, *Jacobs and Craig,* 641

Allantoin: Blood, determination, *Young, MacPherson, Wentworth, and Hawkins,* 245

Allorubijervine: Rubijervine conversion to, *Jacobs and Craig,* 641

Amine(s): Poly-, bacteriostasis by 4,4′-diamidinodiphenoxypropane, *Snell,* 475

Amino acid(s): Determination, microbiological, *McMahan and Snell,* 83

Dicarboxylic, determination, titration, *Kibrick,* 411

Amino acid(s)—*continued:*

Dicarboxylic, protein hydrolysates, determination, *Cannan,* 401

Lactobacillus arabinosus requirements, *Hegsted,* 193

Androsterone sulfate: Dehydroiso-, urine, isolation, *Munson, Gallagher, and Koch,* 67

Anhydrase: Carbonic, central nervous system, functional levels, relation, *Ashby,* 235

Anoxia: Liver oxygen consumption, recovery *in vitro,* relation, *Fuhrman and Crismon,* 213

Apoferritin: Ferritin and, ultracentrifuge studies, *Rothen,* 679

Sedimentation rate, determination, *Rothen,* 679

Apparatus: Torsion balance, quartz, *Lowry,* 293

Arginine: Determination, microbiological, *McMahan and Snell,* 83

Ascorbic acid: 3-Acetyl-5,6-isopropylidine, *Vestling and Rebstock,* 585

Dehydro-, plant tissue, determination, 2,4-dinitrophenylhydrazine use, *Roe and Oesterling,* 511

Iron compounds and, phospholipid oxidation effect, *Elliott and Libet,* 617

Plant tissue, determination, 2,4-dinitrophenylhydrazine use, *Roe and Oesterling,* 511

Aspergillus fumigatus: Fumigacin isolation, *Menzel, Wintersteiner, and Hoogerheide,* 419

Gliotoxin isolation, *Menzel, Wintersteiner, and Hoogerheide,* 419

Atabrine: Urine excretion products, *Scudi and Jelinek,* 27

Atisine: Dehydrogenation, hydrocarbon from, oxidation, *Craig and Jacobs,* 651

B

Bacteriostasis: 4,4′-Diamidinodiphenoxypropane, polyamine effect, *Snell,* 475

Balance: Torsion, quartz, *Lowry*, 293
Barnacle: *See also* Goose-barnacle
Benzimidazole: Biological effect, purines, relation, *Woolley*, 225
Bile acid(s): Metabolism, *Hoehn, Schmidt, and Hughes*, 59
Blood: Allantoin, determination, *Young, MacPherson, Wentworth, and Hawkins*, 245
Carbonylhemoglobin, determination, spectrophotometric, *Horecker and Brackett*, 669
Hydrogen ion activity, determination, micro-, glass electrode use, *Claff and Swenson*, 519
Lactic acid, mannose effect, *Bailey and Roe*, 135
Lipids, fasting effect, *MacLachlan*, 391
Methemoglobin determination, spectrophotometric, *Horecker and Brackett*, 669
Sulfonamides, determination, *Scudi and Jelinek*, 39
Urea determination, colorimetric, *Barker*, 453
Blood plasma: Diodrast recovery, filtrate hydrogen ion concentration, effect, *Shock*, 169
Fibrinogen, scurvy, *Sullivan, Gangstad, and Link*, 367
Inulin recovery, filtrate hydrogen ion concentration, effect, *Shock*, 169
Osmotic activity, *Lifson*, 659
Phospholipids, thoracic duct lymph, transport, *Reinhardt, Fishler, and Chaikoff*, 79
Vitamin A determination, carotene and vitamin A separation, *Boyer, Phillips, and Smith*, 445
Blood serum: Calcium determination, oxalate use, *Sendroy*, 539
Liver in, oxygen consumption, burns, effect, *Muus and Hardenbergh*, 1
Osmotic activity, *Lifson*, 659
Phosphatase, liver damage, cyanide, fluoride, and magnesium, effect, *Drill, Annegers, and Ivy*, 339
Thiourea, determination, *Danowski*, 201
Blood sugar: Mannose effect, *Bailey and Roe*, 135
Bone: Inorganic constituents, determination, micro-, *Sobel, Rockenmacher, and Kramer*, 255
Burn(s): Oxygen consumption, liver in blood serum and lymph, effect, *Muus and Hardenbergh*, 1

C

Calcium: Blood serum, determination, oxalate use, *Sendroy*, 539
Determination, gasometric, *Sendroy*, 557
Carbonic anhydrase: Central nervous system, functional levels, relation, *Ashby*, 235
Carbonylhemoglobin: Blood, determination, spectrophotometric, *Horecker and Brackett*, 669
Carboxylic acid: Pyrrolidone-, *d*-glutamic acid conversion to, *Ratner*, 559
Carotene: Tocopherol concentrates, sparing action, *Harris, Kaley, and Hickman*, 313
Vitamin A separation, blood plasma vitamin A determination, *Boyer, Phillips, and Smith*, 445
Casein: Hydrolysis products, enzymatic, *Winnick*, 465
Cellobiose: Metabolism, *Vaniman and Deuel*, 565
Central nervous system: Functional levels, carbonic anhydrase relation, *Ashby*, 235
Cholanic acid(s): Keto-, separation and identification, cholic acid oxidation by *Alcaligenes faecalis*, *Hoehn, Schmidt, and Hughes*, 59
Cholesterol: α-Tocopherol determination, polarographic, effect, *Beaver and Kaunitz*, 363
Cholic acid: Oxidation by *Alcaligenes faecalis*, ketocholanic acids, separation and identification, *Hoehn, Schmidt, and Hughes*, 59
Cholinesterase: Retina, *Anfinsen*, 267
Chromoprotein: Goose-barnacle eggs, *Ball*, 627

Convulsion(s): Pyridoxine deficiency, relation, *Patton, Karn, and Longenecker*, 181
Coproporphyrin: Urine, determination, *Mason and Nesbitt*, 19
Covitamin(s): *Hickman, Kaley, and Harris*, 303
Harris, Kaley, and Hickman, 313
Hickman, Kaley, and Harris, 321
Cyanide: Blood serum phosphatase, liver damage, effect, *Drill, Annegers, and Ivy*, 339
Cysteine: *p*-Fluorophenyl-*l*-, *p*-fluorophenylmercapturic acid from, *Zbarsky and Young*, 599
—, synthesis, *Zbarsky and Young*, 599
Cystine: *l*-, metabolism, protein-low diet, *Miller*, 603
Cytochrome: Oxidase, components, *Haas*, 695

D

Dehydroascorbic acid: Plant tissue, determination, 2,4-dinitrophenylhydrazine use, *Roe and Oesterling*, 511
Dehydroisoandrosterone sulfate: Urine, isolation, *Munson, Gallagher, and Koch*, 67
Dextrin: Plant phosphorylase, effect, *Sumner, Somers, and Sisler*, 479
Diamidinodiphenoxypropane: 4,4′-, bacteriostasis by, polyamine effect, *Snell*, 475
Diaminotetrahydrothiophene: 3,4-, isomeric, synthesis, *Kilmer and McKennis*, 103
Dicarboxylic amino acid(s): Determination, titration, *Kibrick*, 411
Protein hydrolysates, determination, *Cannan*, 401
Diiodotyrosine: Iodide, inorganic, conversion from, *in vitro*, sulfonamide effect, radioactive iodine as indicator, *Franklin and Chaikoff*, 295
Dinitrophenylhydrazine: 2,4-, dehydroascorbic acid and ascorbic acid, plant tissue, determination, use, *Roe and Oesterling*, 511
Diodrast: Blood plasma, recovery, filtrate hydrogen ion concentration, effect, *Shock*, 169
Diphosphopyridine: Nucleotide, determination, manometric, micro, *Anfinsen*, 285
—, retina, *Anfinsen*, 279

E

Egg(s): Goose-barnacle, chromoprotein, *Ball*, 627
Egg albumin: Crystalline, sulfhydryl groups, acylating agents, effect, *Fraenkel-Conrat*, 385
Enzyme(s): Proteolytic, casein hydrolysis products, *Winnick*, 465
Starch synthesis by, polysaccharide activity, acid hydrolysis effect, *Hidy and Day*, 477
See also Anhydrase, Cholinesterase, β-Glucuronidase, Oxidase, Phosphatase, Phosphorylase
Esterase: Cholin-, retina, *Anfinsen*, 267
Estrogen(s): Uterus β-glucuronidase, effect, *Fishman and Fishman*, 487

F

Fasting: Blood lipids, effect, *MacLachlan*, 391
Fat(s): Acetone-soluble, *Phytomonas tumefaciens*, composition, *Velick and Anderson*, 523
Mobilization, adrenalectomy effect, *Samuels and Conant*, 173
Ferritin: Apo-, ferritin and, ultracentrifuge studies, *Rothen*, 679
—, sedimentation rate, determination, *Rothen*, 679
Apoferritin and, ultracentrifuge studies, *Rothen*, 679
Fibrinogen: Blood plasma, scurvy, *Sullivan, Gangstad, and Link*, 367
Fish: Tissue, thiamine inactivation, relation, *Krampitz and Woolley*, 9
Fish oil: α-Tocopherol determination, polarographic, effect, *Beaver and Kaunitz*, 363
Fluoride: Blood serum phosphatase, liver damage, effect, *Drill, Annegers, and Ivy*, 339
Fluorophenyl-*l*-cysteine: *p*-, *p*-fluorophenylmercapturic acid from, *Zbarsky and Young*, 599
—, synthesis, *Zbarsky and Young*, 599

Fluorophenylmercapturic acid: *p*-, *p*-fluorophenyl-*l*-cysteine conversion to, *Zbarsky and Young*, 599
Folic acid: Determination, *Streptococcus lactis*, use, *Luckey, Briggs, and Elvehjem*, 157
Vitamin M and, relation, *Totter, Shukers, Kolson, Mims, and Day*, 147
Xanthopterin and, relation, *Totter, Shukers, Kolson, Mims, and Day*, 147
Fuchsin: Test, aldehydes and derivatives, effect, *Anchel and Waelsch*, 501
Fumigacin: *Aspergillus fumigatus*, isolation, *Menzel, Wintersteiner, and Hoogerheide*, 419

G

Gliotoxin: *Aspergillus fumigatus*, isolation, *Menzel, Wintersteiner, and Hoogerheide*, 419
Glucuronidase: β-, uterus, estrogens, effect, *Fishman and Fishman*, 487
Glutamic acid: *d*-, pyrrolidonecarboxylic acid from, *Ratner*, 559
Glycerol: Phospho-, determination, interfering substances, *LePage*, 593
Glycine: Oxidase, *Ratner, Nocito, and Green*, 119
Glycogen: Liver, mannose effect, *Bailey and Roe*, 135
Goose-barnacle: Eggs, chromoprotein, *Ball*, 627
Grass: Chemistry, growth stage, effect, *Kohler*, 215
Growth: Grass, chemistry, effect, *Kohler*, 215

H

Hematopoiesis: Vitamin B_c, crystalline, effect, *Campbell, Brown, and Emmett*, 483
Hemoglobin: Carbonyl-, blood, determination, spectrophotometric, *Horecker and Brackett*, 669
Met-, blood, determination, spectrophotometric, *Horecker and Brackett*, 669
Hydrogen ion concentration: Blood and biological fluids, determination, micro-, glass electrode use, *Claff and Swenson*, 519
Hypobromite: Urea determination, manometric, use, *Holden*, 233

I

Inorganic constituent(s): Bone, determination, micro-, *Sobel, Rochenmacher, and Kramer*, 255
Inulin: Blood plasma, recovery, filtrate hydrogen ion concentration, effect, *Shock*, 169
Iodide: Inorganic, thyroxine and diiodotyrosine conversion relation, *in vitro*, sulfonamide effect, radioactive iodine as indicator, *Franklin and Chaikoff*, 295
Iodine: Metabolism, thyroid, thiourea effect, *Keston, Goldsmith, Gordon, and Charipper*, 241
Radioactive, inorganic iodide conversion to thyroxine and diiodotyrosine *in vitro*, sulfonamide effect, use as indicator, *Franklin and Chaikoff*, 295
Iron: -Protein complex, liver, *Libet and Elliott*, 613
Iron compound(s): Ascorbic acid and, phospholipid oxidation, effect, *Elliott and Libet*, 617

J

Jervine: Allorubi-, rubijervine conversion to, *Jacobs and Craig*, 641
Rubi-, allorubijervine from, *Jacobs and Craig*, 641
—, sterol ring system, *Jacobs and Craig*, 641

K

Ketocholanic acid(s): Separation and identification, cholic acid oxidation by *Alcaligenes faecalis, Hoehn, Schmidt, and Hughes*, 59
Ketol(s): Formation, pyruvate and aldehydes, relation, *Berg and Westerfeld*, 113

Ketosis: *Vaniman and Deuel,* 565
Ketosteroid(s): 17-, urine, determination, chemical, *Cahen and Salter,* 489
—, —, metabolism effect, *Cahen and Salter,* 489

L

Lactic acid: Blood, mannose effect, *Bailey and Roe,* 135
Lactobacillus arabinosus: Amino acid requirements, *Hegsted,* 193
Lipid(s): Blood, fasting effect, *MacLachlan,* 391
Phospho-. *See* Phospholipids
Liver: Blood serum, oxygen consumption, burns, effect, *Muus and Hardenbergh,* 1
Damage, blood serum phosphatase, cyanide, fluoride, and magnesium, effect, *Drill, Annegers, and Ivy,* 339
Glycogen, mannose effect, *Bailey and Roe,* 135
Iron-protein complex, *Libet and Elliott,* 613
Lymph, oxygen consumption, burns, effect, *Muus and Hardenbergh,* 1
Oxygen consumption, recovery *in vitro*, anoxia relation, *Fuhrman and Crismon,* 213
l-Phenylalanine hydroxyphenyl compound production, effect, *Bernheim and Bernheim,* 481
Lymph: Liver in, oxygen consumption, burns, effect, *Muus and Hardenbergh,* 1
Thoracic duct, blood plasma phospholipids, transport to, *Reinhardt, Fishler, and Chaikoff,* 79

M

Magnesium: Blood serum phosphatase, liver damage, effect, *Drill, Annegers, and Ivy,* 339
Mannose: Blood lactic acid, effect, *Bailey and Roe,* 135
— sugar, effect, *Bailey and Roe,* 135
Liver glycogen, effect, *Bailey and Roe,* 135
Metabolism, *Bailey and Roe,* 135
Mercapturic acid(s): *Zbarsky and Young,* 599
p-Fluorophenyl-, *p*-fluorophenyl-*l*-cysteine conversion to, *Zbarsky and Young,* 599
Methemoglobin: Blood, determination, spectrophotometric, *Horecker and Brackett,* 669
Methionine: *dl*-, metabolism, protein-low diet, *Miller,* 603
Muscle: Adenosine triphosphate, radioactive phosphorus in study, *Flock and Bollman,* 371

N

Nucleotide: Diphosphopyridine, determination, manometric, micro, *Anfinsen,* 285
—, retina, *Anfinsen,* 279
Nutrition: Behavior relation, *Patton, Karn, and Longenecker,* 181

O

Oil(s): *See also* Fish oil, Sesame oil
Oxalic acid: Determination, gasometric, *Sendroy,* 557
Oxidase: Cytochrome, components, *Haas,* 695
Glycine, *Ratner, Nocito, and Green,* 119
Oxygen: Consumption, liver in blood serum and lymph, burns, effect, *Muus and Hardenbergh,* 1
—, —, recovery *in vitro*, anoxia relation, *Fuhrman and Crismon,* 213

P

Penicillin: Determination, turbidimetric, *Lee, Foley, Epstein, and Wallace,* 485
Phenylalanine: *l*-, hydroxyphenyl compound from, liver effect, *Bernheim and Bernheim,* 481
Phenylhydrazine: 2,4-Dinitro-, dehydroascorbic acid and ascorbic acid, plant tissue, determination, use, *Roe and Oesterling,* 511
Phosphatase: Blood serum, liver damage, cyanide, fluoride, and magnesium, effect, *Drill, Annegers, and Ivy,* 339

Phosphoglycerol: Determination, interfering substances, *LePage*, 593
Phospholipid(s): Blood plasma, thoracic duct lymph, transport, *Reinhardt, Fishler, and Chaikoff*, 79
Oxidation, iron compounds and ascorbic acid, effect, *Elliott and Libet*, 617
Whole, iodine number, determination, *MacLachlan*, 97
Phosphorus: Radioactive, muscle adenosine triphosphate, use in study, *Flock and Bollman*, 371
Phosphorylase: Plant, dextrin effect, *Sumner, Somers, and Sisler*, 479
Phytomonas tumefaciens: Acetone-soluble fat, composition, *Velick and Anderson*, 523
Chemistry, *Velick and Anderson*, 523
Velick, 533
Phytomonic acid, *Velick*, 533
Phytomonic acid: *Phytomonas tumefaciens, Velick*, 533
Pimanthrene: Staphisine dehydrogenation, isolation, *Craig and Jacobs*, 645
Plant: Dehydroascorbic acid and ascorbic acid determination, 2,4-dinitrophenylhydrazine use, *Roe and Oesterling*, 511
Phosphorylase, dextrin effect, *Sumner, Somers, and Sisler*, 479
Polyamine(s): Bacteriostasis by 4,4′-diamidinodiphenoxypropane, *Snell*, 475
Polysaccharide(s): Starch synthesis, enzymatic, acid hydrolysis effect, *Hidy and Day*, 477
Porphyrin: Copro-, urine, determination, *Mason and Nesbitt*, 19
Propane: 4,4′-Diamidinodiphenoxy-, bacteriostasis by, polyamine effect, *Snell*, 475
Protein(s): Chromo-, goose-barnacle eggs, *Ball*, 627
Hydrolysates, dicarboxylic amino acids, determination, *Cannan*, 401
Iron-, complex, liver, *Libet and Elliott*, 613
-Low diet, *l*-cystine metabolism, *Miller*, 603
— —, *dl*-methionine metabolism, *Miller*, 603
Proteolysis: Enzymes, casein hydrolysis products, *Winnick*, 465
Purine(s): Benzimidazole biological effect, relation, *Woolley*, 225
Pyridoxine: Deficiency, convulsions, relation, *Patton, Karn, and Longenecker*, 181
Pyrrolidonecarboxylic acid: *d*-Glutamic acid conversion to, *Ratner*, 559
Pyruvate: Ketol formation, relation, *Berg and Westerfeld*, 113

R

Reducing substance(s): Urine, determination, precipitating agents, use, *Dittebrandt, Tenney, and West*, 395
Retina: Cholinesterase, *Anfinsen*, 267
Diphosphopyridine nucleotide, *Anfinsen*, 279
Rubijervine: Allorubijervine from, *Jacobs and Craig*, 641
Sterol ring system, *Jacobs and Craig*, 641

S

Scurvy: Blood plasma fibrinogen, *Sullivan, Gangstad, and Link*, 367
Seed(s): Germination, sulfanilamide effect, *Ribeiro*, 665
Sesame oil: α-Tocopherol determination, polarographic, effect, *Beaver and Kaunitz*, 363
Staphisine: Dehydrogenation, pimanthrene isolation, *Craig and Jacobs*, 645
Starch: Synthesis, enzymatic, polysaccharide activity, acid hydrolysis effect, *Hidy and Day*, 477
Steroid(s): 17-Keto-, urine, determination, chemical, *Cahen and Salter*, 489
—, —, metabolism effect, *Cahen and Salter*, 489
Sterol(s): Rubijervine, ring system, *Jacobs and Craig*, 641
Streptococcus lactis: Folic acid determination, use, *Luckey, Briggs, and Elvehjem*, 157
Sulfanilamide: Seeds, germination, effect, *Ribeiro*, 665
Sulfhydryl group(s): Egg albumin, crystalline, acylating agents, effect, *Fraenkel-Conrat*, 385

Sulfonamide(s): Blood, determination, *Scudi and Jelinek*, 39
Iodide, inorganic, conversion *in vitro* to thyroxine and diiodotyrosine, thyroid, effect, radioactive iodine as indicator, *Franklin and Chaikoff*, 295

T

Thiamine: Deficiency, alcohol metabolism, *Berg, Stotz, and Westerfeld*, 51
Derivatives, vitamin B_1 determination, yeast fermentation, effect, *Deutsch*, 431
Inactivation, fish tissue effect, *Krampitz and Woolley*, 9
Urine, determination, *Urban and Goldman*, 329
—, —, thiochrome use, *Najjar and Ketron*, 579
Vitamin B_1 determination, yeast fermentation, effect, *Deutsch*, 431
Thiochrome: Urine thiamine determination, use, *Najjar and Ketron*, 579
Thiophene: 3,4-Diaminotetrahydro-, isomeric, synthesis, *Kilmer and McKennis*, 103
Thiourea: Blood serum ultrafiltrate, determination, *Danowski*, 201
Body water change, determination, use, *Danowski*, 207
Determination, *Chesley*, 571
Thyroid iodine metabolism, effect, *Keston, Goldsmith, Gordon, and Charipper*, 241
Thoracic duct: Lymph, blood plasma phospholipids, transport to, *Reinhardt, Fishler, and Chaikoff*, 79
Thyroid: Iodine metabolism, thiourea effect, *Keston, Goldsmith, Gordon, Charipper*, 241
Thyrosine and diiodotyrosine from inorganic iodine *in vitro*, radioactive iodine as indicator, sulfonamide effect, *Franklin and Chaikoff*, 295
Thyroxine: Iodide, inorganic, conversion from, *in vitro*, sulfonamide effect, radioactive iodine as indicator, *Franklin and Chaikoff*, 295
Tocopherol(s): α-, determination, polarographic, sesame oil, fish oil, and cholesterol, effect, *Beaver and Kaunitz*, 363
Action, *Hickman, Kaley, and Harris*, 321
Concentrates, carotene-sparing action, *Harris, Kaley, and Hickman*, 313
—, vitamin A-sparing action, *Hickman, Kaley, and Harris*, 303
Sparing equivalence, *Hickman, Kaley, and Harris*, 321
Tyrosine: Diiodo-, iodide, inorganic, conversion from, *in vitro*, sulfonamide effect, radioactive iodine as indicator, *Franklin and Chaikoff*, 295

U

Urea: Blood, determination, colorimetric, *Barker*, 453
Determination, manometric, hypobromite use, *Holden*, 233
Thio-, blood serum ultrafiltrate, determination, *Danowski*, 201
—, body water change, determination, use, *Danowski*, 207
—, determination, *Chesley*, 571
—, thyroid iodine metabolism, effect, *Keston, Goldsmith, Gordon, and Charipper*, 241
Urine, determination, colorimetric, *Barker*, 453
Urine: Atabrine excretion products, *Scudi and Jelinek*, 27
Coproporphyrin determination, *Mason and Nesbitt*, 19
Dehydroisoandrosterone sulfate isolation, *Munson, Gallagher, and Koch*, 67
17-Ketosteroids, determination, chemical, *Cahen and Salter*, 489
—, metabolism effect, *Cahen and Salter*, 489
Reducing substances, determination, precipitating agents, use, *Dittebrandt, Tenney, and West*, 395
Thiamine determination, *Urban and Goldman*, 329
— —, thiochrome use, *Najjar and Ketron*, 579

Urine—*continued:*
Urea determination, colorimetric, *Barker*, 453
Uterus: β-Glucuronidase, estrogens, effect, *Fishman and Fishman*, 487

V

Valine: Determination, microbiological, *McMahan and Snell*, 83
Veratrine: Alkaloids, *Jacobs and Craig*, 641
Vitamin(s): A, blood plasma, determination, carotene and vitamin A separation, *Boyer, Phillips, and Smith*, 445
—, carotene, separation, blood plasma vitamin A determination, *Boyer, Phillips, and Smith*, 445
—, esters, determination, fluorophotometric, *Sobotka, Kann, and Winternitz*, 635
—, tocopherol concentrates, sparing action, *Hickman, Kaley, and Harris*, 303
B_c, crystalline, hematopoiesis, effect, *Campbell, Brown, and Emmett*, 483
Vitamin(s)—*continued:*
B_1, determination, thiamine and derivatives, effect, *Deutsch*, 431
Co-. *See* Covitamins
M, folic acid and, relation, *Totter, Shukers, Kolson, Mims, and Day*, 147
—, xanthopterin and, relation, *Totter, Shukers, Kolson, Mims, and Day*, 147

W

Water: Body, change, determination, thiourea use, *Danowski*, 207

X

Xanthopterin: Folic acid and, relation, *Totter, Shukers, Kolson, Mims, and Day*, 147
Vitamin M and, relation, *Totter, Shukers, Kolson, Mims, and Day*, 147

Y

Yeast: Extracts, electrophoresis, *Stern*, 345